

Work Order ID 137834

October 08, 2015 2:35:57 PM

137834

Page 1

Item ID: D4857-041 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Wiper Deflector Assembly
Start Date: 10/8/2015 Start Qty: ~~4.00~~ ***4*** Cust Item ID:
Required Date: 10/30/2015 Req'd Qty: 4.00 ***4*** Customer:
Reference:

Approvals: Process Plan: SW Date: 20151008 Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D4857	REV F								
110		0.00							
110									
Small Fab	Memo	0.00							
Small Fab	Drill holes for D4857-1 as per dwg using DT10028								
120	QC5- Inspect part completeness to step on W/O	0.00							
120									
QC	Memo	0.00							
Quality Control									
130		0.00							
130									
HandFinish	Memo	0.00							
Hand Finishing	Touch up holes with primer as per dwg								
	A/R PRIMER BATCH: <u>131277</u>								

2 FF NOV 19 2015

(2) DAS 38 9-89 NOV 19 2015

2 DAS 41 9-89 15-11-20

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	Design ☐	Doc/Data ☐	Equip/Tooling ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Handling/Pre ☐	Material ☐	Internal Transport ☐	Tribal Knowledge ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
LOA ☐	Substation ☐	Past Expiry Date ☐	Misidentified ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
				Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
				Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
				Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
				Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
				Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
				Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
				Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐				OTHER : ☐			

Work Order ID 137834

October 08, 2015 2:35:57 PM

137834

Page 2

Item ID: D4857-041 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Wiper Deflector Assembly
Start Date: 10/8/2015 Start Qty: 4.00 ***4*** Cust Item ID:
Required Date: 10/30/2015 Req'd Qty: 4.00 ***4*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
140 *140* QC Quality Control	QC14- Inspect Spray Paint Memo	0.00 0.00				<u>2</u>			DAS 38 9-89 NOV 20 2015
150 *150* Small Fab Small Fab	Memo BOND GASKET AS PER DWG USING DOW CORNING 736 ADHESIVE BATCH: <u>M131824</u>	0.00 0.00				<u>2</u>	<u>FF</u>		NOV 23 2015
160 *160* QC Quality Control	QC5- Inspect part completeness to step on W/O Memo	0.00 0.00				<u>(2)</u>			DAS 33 9-89 NOV 24 2015

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	☐	No Re-verification ☐	☐	Pressure/Forced ☐	☐	Temperature/Cure ☐	☐
Design ☐	☐	Operator ☐	☐	Bending ☐	☐	Set-up ☐	☐
Doc/Data ☐	☐	Offset/Setup ☐	☐	Centre Not Concentric ☐	☐	BOM/Route ☐	☐
Equip/Tooling ☐	☐	Supplier ☐	☐	Cracks ☐	☐	Broken/Damage/Defect ☐	☐
Handling/Pre ☐	☐	Training ☐	☐	Crimp/Kink/Ripple/Wave ☐	☐	Inspection Incomplete/Unqualified ☐	☐
Material ☐	☐	Use for Testing ☐	☐	Cuffs ☐	☐	Contamination ☐	☐
Internal Transport ☐	☐	Poor Information ☐	☐	Crushing ☐	☐	Countersink ☐	☐
Tribal Knowledge ☐	☐	Rushing ☐	☐	Heat Treat ☐	☐	Cut Too Short ☐	☐
LOA ☐	☐	Product Improvement ☐	☐	Wave/Twist in Tube ☐	☐	Instructions Incomplete/Unclear ☐	☐
Substation ☐	☐	Process Improvement ☐	☐	Marks/Chatter ☐	☐	Drill Holes ☐	☐
Past Expiry Date ☐	☐	Manufacturing Process ☐	☐	OTHER : _____			
Misidentified ☐	☐	Past Due ☐	☐				

Work Order ID 137834

October 08, 2015 2:35:57 PM

137834

Page 3

Item ID: D4857-041 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Wiper Deflector Assembly
Start Date: 10/8/2015 Start Qty: 4.00 ***4*** Cust Item ID:
Required Date: 10/30/2015 Req'd Qty: 4.00 ***4*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
170	Identify as per dwg & Stock Location: <u>CCK130</u>	0.00							
170									
Packaging	Memo	0.00				<u>2</u>	<u>MLJ</u>	<u>15-11-24</u>	
Packaging									
180	QC21- Final Inspection - Work Order Release	0.00							
180									
QC	Memo	0.00				<u>MLJ</u>	<u>15-11-25</u>		
Quality Control									
						<u>MLJ</u>	<u>15-11-24</u>		

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐							
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval				
Description Work Order Deviation				Disposition							
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐		☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due		FAULT CATEGORY ☐ Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter		☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes		☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center		☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence	
				OTHER :							

Picklist Print

October 08, 2015 12:52:40 PM

Page 1

Work Order ID: 137834

137834

Parent Item: D4857-041

D4857-041

Parent Item Name: Wiper Deflector Assembly

Start Date: 10/8/2015

Required Date: 10/30/2015

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP REV:A NEW ISSUE 13-07-17 JLM VERIFIED BY:DD IPP
REV:B AS PER REV F JLM VERIFIED BY:DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4857-M		Manufactured	No				Each	0.0000		4			
D4857-M									**	137365			D4857-041
Wiper Deflector													8
D4944-1		Manufactured	No				Each	32.0000		8			
D4944-1									**	FF		NOV 23 2015	
Gasket													

Location

Loc Qty

Loc Code

GA



32

137366

32

② 4

ITEM	QTY	P/N	DESCRIPTION
	X	D4857-041	WIPER DEFLECTOR ASSY
1	1	D4857-1	WIPER DEFLECTOR
2	2	D4944-1	GASKET



D4857-041 WIPER DEFLECTOR ASSY

RELEASED

2015 JUN 08

ECN 15-582 *cm*

20151008

50 137834



F	SHT 1 ADDED -041, ADDED D4857-2M (SHEET 8) AND RELABELED D4857-M TO D4857-1M (ZN B5-7). UPDATED D4757-044 (ZN B5-3). REVISED NOTES 1, 8 AND 10 (ZN A8-4, ZN A8-5, ZN A8-6, ZN A8-7, ZN A8-8). UPDATE PART WEIGHTS	AK / AJS	15.06.03
E	REVISE NOTE 6) (ZN A8-1, A8-2, A8-3); AND NOTE 8) (ZN A8-1, A8-2, A8-3)	AK	14.06.05
D	ADDED D4857-043 (ZN C7-1), D4857-044 (ZN C7-2), D4857-3 (ZN C7-4), D4857-4 (ZN C7-5) AND D4857-M (ZN C7-6)	AK	14.05.13
C	ADDED 4 MOUNTING HOLES	DW	13.12.09
B	REVISED BOM, DRAWING VIEWS, NOTES	PB	13.08.13
A	NEW RELEASE	DB	13.05.23
REV.	DESCRIPTION	BY	DATE
DESIGN	DW	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	CP	DRAWING NO.	REV. F
MFG. APPR.	DD	D4857	SHEET 1 OF 8
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	WIPER DEFLECTOR	NTS
DATE	15.06.03	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR DISSEMINATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

APPROVED

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED, ALL METRIC DIMENSIONS ARE REFERENCE DIMENSIONS.
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N D4857-041, REVISION, BATCH NUMBER, AND DATE OF MANUFACTURE, AS PER QSI 044 METHOD 6.1
- 7) WEIGHT: 0.38 lbs (0.17 kg)
- 8) BOND D4944-1 GASKETS TO EDGE OF PART USING DOW CORNING 736 ADHESIVE

ITEM	QTY -043	P/N	DESCRIPTION
	X	D4857-043	WIPER DEFLECTOR ASSEMBLY, LH
1	1	D4857-3	WIPER DEFLECTOR LH
2	1	D5117-1	GASKET
3	1	D5117-3	GASKET



D4857-043 WIPER DEFLECTOR ASSEMBLY, LH

RELEASED

2015 JUN 08



NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED, ALL METRIC DIMENSIONS ARE REFERENCE DIMENSIONS.
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N D4857-043, REVISION, BATCH NUMBER, AND DATE OF MANUFACTURE, AS PER QSI 044 METHOD 6.1
- 7) WEIGHT: 0.38 lbs (0.17 kg)
- 8) BOND D5117-1/-3 GASKETS TO EDGE OF PART USING DOW CORNING 736 ADHESIVE

APPROVED

DESIGN		DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	CP	DRAWING NO.	REV. F
MFG. APPR.	DD	D4857	SHEET 2 OF 8
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	WIPER DEFLECTOR	NTS
DATE	15.06.03	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

ITEM	QTY -044	P/N	DESCRIPTION
	X	D4857-044	WIPER DEFLECTOR ASSEMBLY, RH
1	1	D4857-4	WIPER DEFLECTOR
2	1	D5117-5	GASKET
3	1	D5117-7	GASKET



D4857-044 WIPER DEFLECTOR ASSEMBLY, RH



RELEASED

2015 JUN 08

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED, ALL METRIC DIMENSIONS ARE REFERENCE DIMENSIONS.
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N D4857-044, REVISION, BATCH NUMBER, AND DATE OF MANUFACTURE, AS PER QSI 044 METHOD 6.1
- 7) WEIGHT: 0.38 lbs (0.17 kg)
- 8) BOND D5117-5/-7 GASKETS TO EDGE OF PART USING DOW CORNING 736 ADHESIVE

APPROVED	DESIGN	DW	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
	DRAWN	AJS		
	CHECKED	CP	DRAWING NO.	REV. F
	MFG. APPR.	DD	D4857	SHEET 3 OF 8
	APPROVED	WM	TITLE	SCALE
	DE APPR.	DS	WIPER DEFLECTOR	NTS
	DATE	15.06.03	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D4857-1 WIPER DEFLECTOR

RELEASED



2015 JUN 08 *W*

NOTES:

- 1) MATERIAL: MADE FROM D4857-M
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED, ALL METRIC DIMENSIONS ARE REFERENCE DIMENSIONS.
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.35 lbs (0.16 kg)
- 8) PART DIMENSIONS CONTROLLED BY CAD MODEL FILE D4857-1-F.IGES

APPROVED

DESIGN	DW	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	CP	DRAWING NO.	REV. F
MFG. APPR.	DD	D4857	SHEET 4 OF 8
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	WIPER DEFLECTOR	NTS
DATE	15.06.03	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR DISSEMINATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D4857-3 WIPER DEFLECTOR, LH

RELEASED



2015 JUN 08

NOTES:

- 1) MATERIAL: MADE FROM D4857-M
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED, ALL METRIC DIMENSIONS ARE REFERENCE DIMENSIONS.
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.35 lbs (0.16 kg)
- 8) PART DIMENSIONS CONTROLLED BY CAD MODEL FILE D4857-3-F.IGES

APPROVED

DESIGN	DW	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	CP	DRAWING NO.	REV. F
MFG. APPR.	DD	D4857	SHEET 5 OF 8
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	WIPER DEFLECTOR	NTS
DATE	15.06.03	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE, OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D4857-4 WIPER DEFLECTOR, RH

RELEASED

2015 JUN 08

NOTES:

- 1) MATERIAL: MADE FROM D4857-M
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED, ALL METRIC DIMENSIONS ARE REFERENCE DIMENSIONS.
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.35 lbs (0.16 kg)
- 8) PART DIMENSIONS CONTROLLED BY CAD MODEL FILE D4857-4-F.IGES

APPROVED

DESIGN	DW	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	CP	DRAWING NO.	REV. F
MFG. APPR.	DD	D4857	SHEET 6 OF 8
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	WIPER DEFLECTOR	NTS
DATE	15.06.03	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR DISSEMINATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

DQA: _____ Date: _____





WORK ORDER NON-CONFORMANCE / UPDATE


QA Closed: _____ Date: _____

Work Order update only ☐



Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐		OTHER : ☐					



SECTION A-A



DETAIL B



D4857-M WIPER DEFLECTOR

RELEASED

2015 JUN 08

NOTES:

- 1 MATERIAL: KEVLAR #285/353 4H SATIN, EPOXY PREPREG, 250°F CURE, 40% R/C
- 2 MATERIAL: CARBON FIBER PREPREG, ALDILA PREPREG SYSTEM 3K2X2-FR250-204/40 T300,
- 3 MATERIAL: ALDILA #120 E-GLASS AR250 WITH 48% RC;
- 4 FINISH: PRIMER IAW MIL-P-85582, 2-7 MIL MAX,
- 5 TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 6 UNITS: INCHES UNLESS OTHERWISE NOTED, ALL METRIC DIMENSIONS ARE REFERENCE DIMENSIONS.
- 7 BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 8 IDENTIFICATION: N/A
- 9 WEIGHT: 0.35 lbs (0.16 kg)
- 10 PART DIMENSIONS CONTROLLED BY CAD MODEL FILE D4857-M-F.IGES
- 11 SEE SHEET 8 FOR LAYUP SCHEDULE. MANUFACTURE IAW MPP 145. CURE 250°F FOR 4 HOURS.

APPROVED

DESIGN	DW	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	CP	DRAWING NO.	REV. F
MFG. APPR.	DD	D4857	SHEET 7 OF 8
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	WIPER DEFLECTOR	NTS
DATE	15.06.03	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐


Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
		OTHER :							

8 7 6 5 4 3 2 1



LAYUP OF LAYERS (DOME)

LAMINATE - .108in (12 LAYERS)			
PLY	WARP ANGLE	MATERIAL	THICKNESS
01	90	1	.008-.010
02	0	1	.008-.010
03	90	2	.008-.010
04	0	2	.008-.010
05	90	2	.008-.010
06	0	2	.008-.010
07	90	2	.008-.010
08	0	2	.008-.010
09	90	2	.008-.010
10	0	2	.008-.010
11	90	2	.008-.010
12	0	2	.008-.010



LAYUP OF LAYERS (FLANGE)

LAMINATE - .189in (21 LAYERS)			
PLY	WARP ANGLE	MATERIAL	THICKNESS
01	90	1	.008-.010
02	0	1	.008-.010
03	90	2	.008-.010
04	0	2	.008-.010
05	90	2	.008-.010
06	0	2	.008-.010
07	90	2	.008-.010
08	0	2	.008-.010
09	90	2	.008-.010
10	0	2	.008-.010
11	90	2	.008-.010
12	0	2	.008-.010
13	90	2	.008-.010
14	0	2	.008-.010
15	90	2	.008-.010
16	0	2	.008-.010
17	90	2	.008-.010
18	0	2	.008-.010
19	90	2	.008-.010
20	0	2	.008-.010
21	90	3	.005

RELEASED

2015 JUN 08

APPROVED

DESIGN	DW	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	CP	DRAWING NO.	REV. F
MFG. APPR.	DD	D4857	SHEET 8 OF 8
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	WIPER DEFLECTOR	NTS
DATE	15.06.03	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR TRANSMITTED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

8 7 6 5 4 3 2 1

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							